Ministry of Social Development and Fight Against Hunger MDS

Mapserver technology supports the Data Warehouse of Actions and Investments of the Brazilian Ministry for Social Development and Fight Against Hunger

FOSS4G2006 - Free And Open Source Software for Geoinformatics

Caio Nakashima

September - 2006







Agenda

- # Introduction to the Problems
- # Chosen path
- **■** Developed products
- **#** Used Technologies
- # Details of the solutions
- # Future






MDS Current Scenario


- MDS is an amalgamation of previous separated Ministries
- **Low interoperability**
- Many stakeholders (banks, federation members, partners)
- # Formal Links (by law, contracts, agreements)
- Need for agile information to the public
- Different paradigms (concepts, modus operandi)





Scenario: Organizational Aspects











Information Architecture







Subsystem Integration







Benefits

- Information access comprehensive to the whole MDS
- Extracting Business Intelligence to help programs Managers
- # Recording the historical data from the programs





Scenario

Caixa Economica Federal

CONAB

Tesouro Nacional

IBGE

Spreadsheet

PNUD

DATAPREV

TRE

REPORTS

September 2006

Caio Nakashima






Social Information Data Warehouse

- # Allows to retrieve information about the investments on Social Programs in each city, with the following dimensions:
 - Search Items
 - Geographic Units
 - Territorial Limits
 - Population
 - IDH (Human Development Index)
 - Time

First Screen





Caio Nakashima


Select the desired period

September 2006

2







Desenvolvimento Social

🐸 Social Information Matrix - Mozilla Firefox

SPOTLIGHTS OF THE GOVERNN ▼



Social Information Matrix v. 2006 1.4 Beta

Resources from Cash Transfer Programs

Medium Complexity Fixed Level - PFMC

Social Assistance

New search Main page Portal SAGI

Definition of information | Variables and Indicators | Geographic units

Variables and Indicators - (Monthly by municipality)

Period: 6/2006, 5/2006

Select the variable and Indicators LC 87 96

Municipal Information Territorial area Poor Families Estimative PNAD 2001 Himan Development Index - IDHM 2000 Population Elected Mayor(2004) General Information CIDE - Contribution of intervention in economical domain Finantial Aid for Exporter States - FEX Municipalities Participation Fund - FPM The Maintenance and Development for the Fundamental Education and Tax on Financial Operations - IOF Rural Territorial Tax - ITR LC 87 96 LC_87_96_1579 Gas Grant - Auxílio Gás Food Grant - Bolsa Alimentação School Grant - Bolsa Escola Bolsa Familia Program - Bolsa Familia Feeding card Program

Basic Social Protection to Youngsters - Grant - PSB Jovenn BAJ

Continuous Assistance Benefit - Elderly and Disabled People - BPC

Child Labour Eradication Program in urban areas - socio-educational act Child Labour Eradication Program in Urban areas - PETI BOLSA URF Municipal Information Territorial area Poor Families Estimative PNAD 2001 Human Development Index - IDHM 2000 Population Elected Mayor(2004) General Information CIDE - Contribution of intervention in economical domain Finantial Aid for Exporter States - FEX Municipalities Participation Fund - FPM The Maintenance and Development for the Fundamental Education and Teach Tax on Financial Operations - IOF Rural Territorial Tax - ITR LC 87 96 LC 87 96 1579 Cash Transfer Gas Grant - Auxílio Gás Food Grant - Bolsa Alimentação School Grant - Bolsa Escola Bolsa Família Program - Bolsa Família Feeding card Program Resources from Cash Transfer Programs

Basic Social Protection to Youngsters - Grant - PSB Jovenn BAJ

Medium Complexity Fixed Level - PFMC

Continuous Assistance Benefit - Elderly and Disabled People - BPC Child Labour Eradication Program in urban areas - socio-educational actions -

Child Labour Eradication Program in Urban areas - PETI BOLSA URB




Social Assistance

September 2




Select the territory and other filter as Population and HDI




September 2006

Caio Nakashima



Result in spreadsheet form



September 2006

Caio Nakashima



Result in card form.
Each city in a card








Another Way to Search Data

- # Georeferenced Data
- # Graphics


Bolsa Família coverage








Map Viewer Structure



Selection of a special area of some social program (Bolsa Familia Program in the area of Sao Francisco River)




Some features of Map Engine





Legend and Layer Control





- Change the Interval
- Turn on or
 Turn off the
 Interval
- Change the Color of the Interval





Example of some changes







The Color Pallet







The Color Pallet







Retrieve Spatial Information



September 2006


Caio Nakashima





Search Result

- # Show the selected geographic area
 - All geographic regions that touch or are inside the boundaries of the box.
- Open a window with all chosen geographic regions with:
 - The values used to build the map.
 - Link to details of the geographic information.
 - Link to graphics when applied
 - Link to find the location of the region in map.




🖹 🗹 🗖

Register(s)

× 🥥 🖶 🗷 🔼

10

Search through the map







Result of the search through the map

- # The chosen region is highlighted
- **A** link is opened with detail of the selected geographic region.
- # The values of the variable or indicator of all cities on the borders of the chosen geographic area are shown.

Analysis through graphics

Example: Values of the financial help and the amount of beneficiaries along the time of Bolsa Família







List of all values represented in map



Septer....









Comparing two or more geographic areas

- # This feature allows a comparative analysis between up to three geographic regions.
- # The selection can be done through geographic boundary or close analysis values.

September 2006

Caio Nakashima




Comparing the amount of financial help








Comparing the financial help for each family







Histogram




Financial
Value
Transferred
to the cities
covered by
the Bolsa
Familia
Program





Histogram



Mean value transferred to each family of the Bolsa Familia Program in August 2006.

September 2006

Caio Nakashima





Pen Parade Graphics




- ♯ Financialvaluetransferredto the cities.
- Graphics showing 100% of the distribution





Pen Parade Graphics



- FinancialValueTransferredto the cities.
- # Graphics
 showing 90%
 of the
 distribution






System Integration

- # From Georeferenced view is possible to access other information about cities in the data warehouse.
- # Example
 - PETI Bolsa Financial Help for the Cities in October 2005.
 - PETI Program Against Child Labour






















Structure of the Solution



Caio Nakashima

September 2006





Ways to feed the map engine

- # Build the query manually.
- # Read the structure of data from database and show the result of the query in a map.
- # User can build the query from available data in data warehouse.

September 2006

Caio Nakashima






Map Engine Configuration

```
<?
Database conection
// IBM Server
mapas host = "10.68.12.245";
$mapas_port = "5432";
$mapas_dbname = "MI_2005_2006";
$mapas_user = "username";
$mapas_password = "password";
Files path
$mapas_imagePath = "/dados/guilherme/www/projetoMZ/tmp_img/";
$mapas_url = "tmp_img/";
$mapas_ajaxURL = "/mi/projetoMZ/ajaxBusca.php";
?>
```





Data Base of the Solution






September 2006 Caio Nakashima 56





Data Base of the Solution




September 2006

Caio Nakashima






Data Base of the Solution







Build the Query Manually






5	السطا		ď													
	ır	rel_mes_mu bool	:l_mes_estad	rel_ano_mu bool	el_ano_esta bool	d triz_informa bool	c striz_fome_z bool	ze categoria_mi varchar	:ategoria_mif: varchar	lunas_mes_n varchar	nas_mes_est varchar	lunas_ano_n varchar	nas_ano_est	ecalho_nivel	calho_nivel_2 varchar	2 calh
1	a	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	4000#Transferé	2200#Fome Zer	bf_qtd_fam#bf	bf_qtd_fam#bf	bf_qtd_fam#bf	bf_qtd_fam#bf	Qtd. Famílias#V	200000000000000000000000000000000000000	√ Qtd.
2	ienta	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	4000#Transferé	2200#Fome Zer	ca_qtd_fam# ca	ca_qtd_fam# c	ca_gtd_fam# c	ca_qtd_fam# ca	Qtd. Famílias#V	Qtd. Famílias#V	√ Qtd.
3		TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	4000#Transferé	2200#Fome Zer	ag_qtd_fam# a	ag_qtd_fam# a	ag_qtd_fam# a	ag_qtd_fam# a	Qtd. Famílias#V	Qtd. Famílias#V	√ Qtd.
4	ntaçã	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	4000#Transferé	2200#Fome Zer	ba_qtd_fam# b	ba_gtd_fam# b	ba_qtd_fam# b	ba_gtd_fam#b	Qtd. Famílias#V	Qtd. Famílias#V	/ Qtd.
5	В	TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	4000#Transferé	2200#Fome Zer	be gtd fam#b	be gtd fam#b	be gtd fam#b	be_gtd_fam#b	Qtd. Famílias#V	Qtd. Familias#V	√ Qtd.
6		TRUE	TRUE	TRUE	TRUE	TRUE	FALSE						bpc_ppd_ben#	-		
7		TRUE	TRUE	TRUE	TRUE	TRUE	FALSE	2000#Informaç		fpm vl	fpm vl	fpm vl	fpm vl	(R\$)	(R\$)	(R\$)
8		TRUE	TRUE	TRUE	TRUE	TRUE	FALSE	2000#Informaç		itr_vl	itr_vl	itr_vl	itr_vl	(R\$)	(R\$)	(R\$)
9	_	TRUE	TRUE	TRUE	TRUE	TRUE	FALSE	2000#Informaç		iof_vl	iof_vl	iof_vl	iof_vl	(R\$)	(R\$)	(R\$)
10	_	TRUE	TRUE	TRUE	TRUE	TRUE	FALSE	2000#Informac		lc_87_96_vl	lc_87_96_vl	lc_87_96_vl	lc_87_96_vl	(R\$)	(R\$)	(R\$)
11	1579	TRUE	TRUE	TRUE	TRUE	TRUE	FALSE	2000#Informaç					lc_87_96_1579		(R\$)	(R\$)
12		TRUE	TRUE	TRUE	TRUE	TRUE	FALSE	2000#Informaç		cide vl	cide vl	cide vl	cide vl	(R\$)	(R\$)	(R\$)
13		TRUE	TRUE	TRUE	FALSE	TRUE	FALSE	2000#Informac		fex_vl	fex_vl	fex_vl	fex_vl	(R\$)	(R\$)	(R\$)
14		TRUE	TRUE	TRUE	TRUE	TRUE	FALSE	2000#Informaç		fundef vl	fundef vl	fundef vl	fundef vl	(R\$)	(R\$)	(R\$)
15		TRUE	TRUE	TRUE	TRUE	TRUE	TRUE			-	-	-	cisternas_mds_	1 17		
		FALSE	FALSE	TRUE	TRUE	TRUE	TRUE		2200#Fome Zer		ciscerrias_nias_		cartilhas gtd al	1	PIDD Acumulado	Qtd
17		FALSE	FALSE	TRUE	TRUE	TRUE	TRUE	100000000000000000000000000000000000000	2200#Fome Zer	-						
18				73.3.5.5.5				-		-		100000000000000000000000000000000000000	edu_mesa_capa			Сар
		FALSE	FALSE	FALSE	FALSE	FALSE	FALSE		2200#Fome Zer	-		paa_leite_litros	-	(01.)	(01)	(01.)
	lsa F		TRUE	TRUE	TRUE	TRUE	TRUE		100				indicador_repas	1	(%)	(%)
	dio F		TRUE	TRUE	TRUE	TRUE	TRUE		3300#Indicador				indicador_repas			a (R\$
21		TRUE	TRUE	FALSE	FALSE	TRUE	FALSE	7000#Indicador					indicador_bpc_c		(%)	-
	ficiár		TRUE	FALSE	FALSE	TRUE	FALSE	7000#Indicador			indicador_bpc_r			(%)	(%)	
		FALSE	FALSE	TRUE	TRUE	TRUE	TRUE		2200#Fome Zer				cpaa_dlm_qtd_a			Agri
		FALSE	TRUE	TRUE	TRUE	TRUE	TRUE		2200#Fome Zer				paa_dle_qtd_ac		Agricultores Ber	
	C / F		TRUE	TRUE	TRUE	TRUE	FALSE	7000#Indicador					indicador_repas		(%)	(%)
	þa		FALSE	TRUE	FALSE	TRUE	FALSE	7000#Indicador		indicador_fpm_r	indicador_fpm_		r indicador_fpm_r	(R\$)	(R\$)	(R\$)
	_	FALSE	FALSE	TRUE	FALSE	TRUE	FALSE	7000#Indicador				transferencias_	•			
28	ito(2	TRUE	FALSE	TRUE	FALSE	TRUE	FALSE	1000#Informaç		prefeitos_eleito	:	prefeitos_eleito	:	Nome		
29	IDS e	FALSE	FALSE	TRUE	FALSE	TRUE	FALSE	7000#Indicador				indicador_trans	f			
30		TRUE	TRUE	TRUE	TRUE	TRUE	TRUE	1000#Informaç	1100#Dados Ge	populacao	populacao	populacao	populacao	População (2009	População (2009	Æ Popi
31	prial	TRUE	TRUE	TRUE	TRUE	TRUE	FALSE	1000#Informaç		area	area	area	area	Km8sup2	Km8sup2	Km8
32		TRUE	FALSE	TRUE	FALSE	TRUE	TRUE	1000#Informaç	1100#Dados Ge	idhm		idhm		valor	valor	valo
33	r	FALSE	TRUE	FALSE	TRUE	TRUE	FALSE	3000#Informaç			governadores_c	E	governadores_e		Eleito 2002	Eleit
34	Famil	TRUE	FALSE	TRUE	FALSE	TRUE	FALSE	1000#Informaç		estimativa_fami	ĺ	estimativa_fami	il	Qtd.		
35	ame	FALSE	FALSE	TRUE	FALSE	TRUE	FALSE	7000#Indicador		_		receita orcame	r receita_orcame			(R\$
		FALSE	FALSE	TRUE	FALSE	TRUE	FALSE	7000#Indicador				indicador rec o				(47
			FALSE	TRUE	FALSE	TRUE	FALSE	7000#Indicador					v mds_recursos_v			(R\$
	os Pr		TRUE	TRUE	TRUE	TRUE	FALSE	4000#Transferé		indicador reciti	indicador rec h		r indicador_rec_ti		(R\$)	(R\$
39		FALSE	FALSE	TRUE	FALSE	TRUE	FALSE	7000#Indicador		maicador_roc_c	maleador_ree_e	indicador trans		(1.47)	0.40	V 14
40		TRUE	TRUE	FALSE	FALSE	TRUE	TRUE		3300#Indicador	indicador mdc	indicador más		1	(R\$ por família)	(D¢ por Familia)	
	locac		TRUE	TRUE	TRUE	TRUE	FALSE	7000#Indicador	3300#11ldicadoi	pfmc_vl	pfmc_vl	pfmc_vl	pfmc_vl	(R\$)	(R\$)	(R\$
42		TRUE	TRUE	TRUE	TRUE	TRUE	FALSE	7000#Indicador		-		· -	princ_vi pfmc_ben_meta	1		
	dos :		TRUE	TRUE	TRUE	TRUE	FALSE	5000#Assistênd					dados.indicador			
													indicador rec s		(R\$)	(R\$)
	os Pr		TRUE	TRUE	TRUE	TRUE	FALSE	6000#Segurang		indicador_rec_s		i indicador_rec_s		(R\$)	(R\$)	(R\$
45		FALSE	TRUE	FALSE	TRUE	TRUE	FALSE	2000#Informaç		-	fpe_vl		fpe_vl		(R\$)	(R\$
46	-	FALSE	TRUE	FALSE	TRUE	TRUE	TRUE	-	1100#Dados Ge		idhm		idhm	valor	valor	valo
		FALSE	FALSE	TRUE	TRUE	TRUE	FALSE	6000#Segurang				coz_brasil_ben	coz_brasil_ben			Cap
48		TRUE	TRUE	FALSE	FALSE	TRUE	FALSE	5000#Assistênc		cras_qtde	cras_qtde			Qtde	Qtde	-
49	ASA	TRUE	TRUE	FALSE	FALSE	TRUE	TRUE						cisternas_asa_c			
																Library II.
50	Esta	TRUE	TRUE	FALSE	FALSE	TRUE	TRUE	6000#Segurang	2200#Fome Zer	cisternas_estad	cisternas_estad	cisternas_estac	cisternas_estad	Qtd. de Cisterna	Qtd. de Cistern	n Qtd






Read the structure of data







User building the query



Used Technologies





Technologies

Client

Browser

(IExplorer, Firefox, Mozilla)

Jbox (Java) JavaScript

Aplication Server

Apache (WEB Server)
PHP (4.x)
MN Mapserver
PHP MapScript

PostGreSQL PostGis





Development

- # Browser used for the tests IExplorer and FireFox.
- # It is required the installation of Java Virtual Machine in the client browser.
 - JBox requires JVM.
- - PHP MapScript until 2005 June was not compiled to PHP version 5
- # MN MapServer does not require PHP MapScript
 - It was used to give more flexibility to the application.





Future tasks

- Tuning the database retrieve time for each query.
- # Improve the user interface
- # Develop a CD with the solution to be distributed





Questions

- # Thank You Very Much
- # Caio Nakashima
 - caionakashima@gmail.com
 - caio.nakashima@mds.gov.br
 - www.mds.gov.br

Staff

- Caio Nakashima (Map Viewer)
- Carlos Eduardo de Andrade Brasileiro (DBA)
- Marcelo Gomes Gadelha (Data Warehouse Viewer)

